

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	001 Intake Structure	Discharge:	001-M INTAKE -RIVER WATER
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 01/01/26 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	7 - Intake from Stream	0	--	Sample	=	2.8	=	3.0	03 - MGD								0	99/99 - Continuous	TM - Totalizer	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/01 - Daily	TM - Totalizer	
					Value NODI																
00400	pH	7 - Intake from Stream	0	--	Sample					=	7.1			=	7.4	12 - SU	0	01/07 - Weekly	GR - Grab		
					Permit Req.															01/07 - Weekly	GR - Grab
					Value NODI																
00530	Solids, total suspended	7 - Intake from Stream	0	--	Sample								=	19.0			0	05/30 - 5 Times Every Month	06 - 6 Hour Composite		
					Permit Req.															01/07 - Weekly	06 - 6 Hour Composite
					Value NODI																
01042	Copper, total [as Cu]	7 - Intake from Stream	0	--	Sample												0				
					Permit Req.															01/07 - Weekly	06 - 6 Hour Composite
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Copper injection system secured 11/11/25. Installed instrumentation provides continuous flow measurements. Adirondack Environmental Services ELAP #10709. An additional TSS grab was taken on 1/7/26 during the repair of a water main break. The result has been included with the data provided above.

Attachments

No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-13 12:34 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN
Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	002 External Outfall	Discharge:	002-B NON-CONTACT COOLING WATER
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 01/01/26 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion
 PH WITH MONITORING LOCATION 'P' IS TO BE USED WHEN INTAKE IS GREATER THAN OR EQUAL TO 8.2. PH WITH MONITORING LOCATION '1' IS TO BE USED WHEN INTAKE IS LESS THAN 8.2. FOR THE PH LIMIT THAT DOES NOT APPLY, ENTER 'NODI9' AS SAMPLE RESULT. SEE PERMIT FOR REPORTING RESULTS OF ZEBRA MUSSEL CONTROL.

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00011	Temperature, water deg. fahrenheit	1 - Effluent Gross	0	--	Sample						=	34.0		=	36.0	15 - deg F	99/99 - Continuous	MS - Measured		
					Permit Req.															
					Value NODI															
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.0	=	1.4	03 - MGD							99/99 - Continuous	TM - Totalizer		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.1		=	7.4	12 - SU	01/07 - Weekly	GR - Grab			
					Permit Req.					>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU	01/07 - Weekly	GR - Grab			
					Value NODI															
00400	pH	P - See Comments	0	--	Sample					>=	6.5 MINIMUM		<=	9.0 MAXIMUM	12 - SU	01/07 - Weekly	GR - Grab			
					Permit Req.															
					Value NODI					9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period								
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample							=	17.0		=	62.0	19 - mg/L	05/30 - 5 Times Every Month	06 - 6 Hour Composite	
					Permit Req.															
					Value NODI															
00530	Solids, total suspended	2 - Effluent Net	0	--	Sample							=	0.4		=	0.9	19 - mg/L	01/07 - Weekly	06 - 6 Hour Composite	
					Permit Req.															
					Value NODI															
					Sample							<	5.0		<	5.0	19 - mg/L	01/07 - Weekly	GR - Grab	

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	03B External Outfall	Discharge:	03B-M STRAINER BACKWASH & STORM WATE
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 01/01/26 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion
 PH WITH A MONITORING LOCATION 'P' IS TO BE USED WHEN INTAKE IS GREATER THAN OR EQUAL TO 8.2. PH WITH MONITORING LOCATION '1' IS TO BE USED WHEN INTAKE IS LESS THAN 8.2. FOR THE PH LIMIT THAT DOES NOT APPLY, ENTER 'NODI9' AS SAMPLE RESULT. SEE PERMIT FOR REPORTING RESULTS OF ZEBRA MUSSEL CONTROL.

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00011	Temperature, water deg. fahrenheit	1 - Effluent Gross	0	--	Sample						=	37.0		=	38.0	15 - deg F	99/99 - Continuous	MS - Measured		
					Permit Req.													0	01/30 - Monthly	GR - Grab
					Value NODI															
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	2.1	=	2.6	03 - MGD							99/99 - Continuous	TM - Totalizer		
					Permit Req.													0	01/01 - Daily	TM - Totalizer
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.1		=	7.3	12 - SU	01/07 - Weekly	GR - Grab			
					Permit Req.					>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU		0	01/07 - Weekly	GR - Grab	
					Value NODI															
00400	pH	P - See Comments	0	--	Sample					>=	6.5 MINIMUM		<=	9.0 MAXIMUM	12 - SU	01/07 - Weekly	GR - Grab			
					Permit Req.															
					Value NODI						9 - Conditional Monitoring - Not Required This Period			9 - Conditional Monitoring - Not Required This Period						
00530	Solids, total suspended	2 - Effluent Net	0	--	Sample						=	0.3		=	0.3	19 - mg/L	01/30 - Monthly	GR - Grab		
					Permit Req.						<=	20.0 MO AVG		<=	40.0 DAILY MX	19 - mg/L		0	01/30 - Monthly	GR - Grab
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	5.0		<	5.0	19 - mg/L	01/30 - Monthly	GR - Grab		
					Permit Req.													0	01/30 - Monthly	GR - Grab
					Value NODI															
					Sample Permit										19 -		GR -			

01042	Copper, total [as Cu]	1 - Effluent Gross	0	--	Req. Value NODI												Req Mon MO AVG	9 - Conditional Monitoring - Not Required This Period	Req Mon DAILY MX	9 - Conditional Monitoring - Not Required This Period	mg/L	01/07 - Weekly Grab
01042	Copper, total [as Cu]	2 - Effluent Net	0	--	Sample Permit Req. Value NODI	Req Mon MO AVG	Req Mon DAILY MX	26 - lb/d														01/07 - Weekly GR - Grab

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Copper injection system secured 11/11/25. Installed instrumentation provides continuous flow and temperature measurements. Adirondack Environmental Services ELAP #10709.

Attachments

No attachments.

Report Last Saved By

USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
 Name: Kodi Gower
 E-Mail: kodi.gower@unnpp.gov
 Date/Time: 2026-02-13 12:40 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN
 Name: Michael Madigan
 E-Mail: michael.madigan@unnpp.gov
 Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	03D External Outfall	Discharge:	03D-M NONCONTACT COOLING AND STORM WATER
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 01/01/26 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion
 PH WITH A MONITORING LOCATION 'P' IS TO BE USED WHEN INTAKE IS GREATER THAN OR EQUAL TO 8.2. PH WITH MONITORING LOCATION '1' IS TO BE USED WHEN INTAKE IS LESS THAN 8.2. FOR THE PH LIMIT THAT DOES NOT APPLY, ENTER 'NODI9' AS SAMPLE RESULT. SEE PERMIT FOR REPORTING RESULTS OF ZEBRA MUSSEL CONTROL.

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00011	Temperature, water deg. fahrenheit	1 - Effluent Gross	0	--	Sample						=	33.0		=	35.0	15 - deg F	99/99 - Continuous	MS - Measured		
					Permit Req.													0	01/30 - Monthly	GR - Grab
					Value NODI															
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.3	=	0.43	03 - MGD							99/99 - Continuous	TM - Totalizer		
					Permit Req.											0		01/01 - Daily	TM - Totalizer	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.1		=	7.3	12 - SU	0	01/07 - Weekly	GR - Grab		
					Permit Req.					>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - Grab		
					Value NODI															
00400	pH	P - See Comments	0	--	Sample					>=	6.5 MINIMUM		<=	9.0 MAXIMUM	12 - SU	0	01/07 - Weekly	GR - Grab		
					Permit Req.															
					Value NODI						9 - Conditional Monitoring - Not Required This Period			9 - Conditional Monitoring - Not Required This Period						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample							=	3.6		=	3.6	19 - mg/L	01/30 - Monthly	GR - Grab	
					Permit Req.											0	01/30 - Monthly	GR - Grab		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample							<	5.0		<	5.0	19 - mg/L	01/30 - Monthly	GR - Grab	
					Permit Req.											0	01/30 - Monthly	GR - Grab		
					Value NODI															
					Sample Permit										19 -		GR -			

01042	Copper, total [as Cu]	1 - Effluent Gross	0	--	Req. Value NODI												Req Mon MO AVG	9 - Conditional Monitoring - Not Required This Period	Req Mon DAILY MX	9 - Conditional Monitoring - Not Required This Period	mg/L	01/07 - Weekly	Grab	
01042	Copper, total [as Cu]	2 - Effluent Net	0	--	Sample Permit Req. Value NODI	Req Mon MO AVG	Req Mon DAILY MX	26 - lb/d														01/07 - Weekly	GR - Grab	
						9 - Conditional Monitoring - Not Required This Period	9 - Conditional Monitoring - Not Required This Period																	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Copper injection system secured 11/11/25. Installed instrumentation provides continuous flow and temperature measurements. Adirondack Environmental Services ELAP #10709.

Attachments

No attachments.

Report Last Saved By

USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
 Name: Kodi Gower
 E-Mail: kodi.gower@unnpp.gov
 Date/Time: 2026-02-13 12:41 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN
 Name: Michael Madigan
 E-Mail: michael.madigan@unnpp.gov
 Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	03A External Outfall	Discharge:	03A-Q STORM, GROUND & COOLING WATER
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 11/01/25 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		
Considerations for Form Completion			

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	6200.0	=	14000.0	07 - gal/d								0	04/90 - 4 Times Every Quarter	CA - Calculated
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d									01/90 - Quarterly	CA - Calculated
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.8			=	7.8	12 - SU	0	01/90 - Quarterly	GR - Grab	
					Permit Req.					>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/90 - Quarterly	GR - Grab	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	5.4			=	5.4	19 - mg/L	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly		GR - Grab		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					<	5.0			<	5.0	19 - mg/L	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						Req Mon MO AVG			<=	15.0 DAILY MX	19 - mg/L		01/90 - Quarterly	GR - Grab	
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental Services ELAP #10709. Additional flow rate measurements were taken in support of another program.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE
User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-13 12:39 (Time Zone: -05:00)

Report Last Signed By
User: MICHAEL.MADIGAN

Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit		Permittee: USDOE-NAVAL REACTORS LAB FIELD OFFICE		Facility: USDOE KNOLLS ATOMIC POWER LAB	
Permit #: NY0005851	Major: No	Permittee Address: PO BOX 1069 SCHENECTADY, NY 123011069	Facility Location: 2401 RIVER ROAD NISKAYUNA, NY 12309		
Permitted Feature: 03A External Outfall	Discharge: 03A-V STORM WATER AND GROUNDWATER ACTION LEVEL				

Report Dates & Status					
Monitoring Period: From 11/01/25 to 01/31/26	DMR Due Date: 02/28/26	Status: NetDMR Validated			

Considerations for Form Completion

Principal Executive Officer					
First Name: Michael	Title: ESH Director	Telephone: 518-395-7470			
Last Name: Madigan					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
01059	Thallium, total [as Tl]	V - See Comments	0	--	Sample						<	0.5		28 - ug/L	0	01/90 - Quarterly	GR - Grab
					Permit Req.						<=	25.0 DAILY MX		28 - ug/L		01/90 - Quarterly	GR - Grab
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental Services ELAP #10709.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-13 12:39 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN
Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	03E External Outfall	Discharge:	03E-Q STORM, GROUND & COOLING WATER
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 11/01/25 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	140.0	=	140.0	07 - gal/d								0	04/90 - 4 Times Every Quarter	CA - Calculated
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d									01/90 - Quarterly	CA - Calculated
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	8.1			=	8.1	12 - SU	0	01/90 - Quarterly	GR - Grab	
					Permit Req.					>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/90 - Quarterly	GR - Grab	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	2.1			=	2.1	19 - mg/L	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly		GR - Grab		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					<	5.0			<	5.0	19 - mg/L	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						Req Mon MO AVG			<=	15.0 DAILY MX	19 - mg/L		01/90 - Quarterly	GR - Grab	
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental Services ELAP #10709. Additional flow rate measurements were taken in support of another program.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-13 12:43 (Time Zone: -05:00)

Report Last Signed By
User: MICHAEL.MADIGAN

Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	004 External Outfall	Discharge:	004-Q STORMWATER RUNOFF
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 11/01/25 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	23000.0	=	23000.0	07 - gal/d								0	01/90 - Quarterly	CA - Calculated
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d									01/90 - Quarterly	CA - Calculated
					Value NODI															
00340	Oxygen demand, chem. [high level] [COD]	1 - Effluent Gross	0	--	Sample						=	13.0	=	13.0	19 - mg/L		0	01/90 - Quarterly	GR - Grab	
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.3			=	7.3	12 - SU	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM		12 - SU	01/90 - Quarterly	GR - Grab
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	21.0	=	36.0	19 - mg/L		0	02/90 - Twice Every Quarter	GR - Grab	
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	5.0	<	5.0	19 - mg/L		0	01/90 - Quarterly	GR - Grab	
					Permit Req.							Req Mon MO AVG	<=	15.0 DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental Services ELAP #10709. An additional TSS grab was taken on 1/7/26 during the repair of a water main break. The result has been included with the data provided above.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov

Date/Time: 2026-02-13 12:36 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN

Name: Michael Madigan

E-Mail: michael.madigan@unnpp.gov

Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit	
Permit #: NY0005851	Permittee: USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major: No	Permittee Address: PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature: 004 External Outfall	Discharge: 004-V QUARTERLY ACTION LEVELS
Facility: USDOE KNOLLS ATOMIC POWER LAB	Facility Location: 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status	
Monitoring Period: From 11/01/25 to 01/31/26	DMR Due Date: 02/28/26
Status: NetDMR Validated	

Considerations for Form Completion

Principal Executive Officer	
First Name: Michael	Title: ESH Director
Last Name: Madigan	Telephone: 581-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
01059	Thallium, total [as Tl]	V - See Comments	0	--	Sample													0	01/90 - Quarterly	GR - Grab	
					Permit Req.												01/90 - Quarterly				GR - Grab
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental Services ELAP #10709.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-13 12:36 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN
Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	005 External Outfall	Discharge:	005-Q STORMWATER RUNOFF
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 11/01/25 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	28000.0	=	28000.0	07 - gal/d								0	01/90 - Quarterly	CA - Calculated	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d									01/90 - Quarterly	CA - Calculated	
					Value NODI																
00340	Oxygen demand, chem. [high level] [COD]	1 - Effluent Gross	0	--	Sample							<	25.0	<	25.0	19 - mg/L	0	01/90 - Quarterly	GR - Grab		
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L				01/90 - Quarterly	GR - Grab	
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample					=	8.0			=	8.0	12 - SU	0	01/90 - Quarterly	GR - Grab		
					Permit Req.					>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU				01/90 - Quarterly	GR - Grab
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample							=	22.0	=	22.0	19 - mg/L	0	01/90 - Quarterly	GR - Grab		
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L				01/90 - Quarterly	GR - Grab	
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample							<	5.0	<	5.0	19 - mg/L	0	01/90 - Quarterly	GR - Grab		
					Permit Req.							Req Mon MO AVG	<=	15.0 DAILY MX	19 - mg/L				01/90 - Quarterly	GR - Grab	
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental ELAP #10709.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov

Date/Time: 2026-02-13 12:37 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN

Name: Michael Madigan

E-Mail: michael.madigan@unnpp.gov

Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	NY0005851	Permittee:	USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major:	No	Permittee Address:	PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature:	006 External Outfall	Discharge:	006-Q STORMWATER RUNOFF
Facility:		Facility Location:	USDOE KNOLLS ATOMIC POWER LAB 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status			
Monitoring Period:	From 11/01/25 to 01/31/26	DMR Due Date:	02/28/26
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Michael	Title:	ESH Director
Last Name:	Madigan	Telephone:	518-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	120000.0	=	120000.0	07 - gal/d								0	01/90 - Quarterly	CA - Calculated
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d									01/90 - Quarterly	CA - Calculated
					Value NODI															
00340	Oxygen demand, chem. [high level] [COD]	1 - Effluent Gross	0	--	Sample						=	33.0	=	33.0	19 - mg/L		0	01/90 - Quarterly	GR - Grab	
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.9			=	7.9	12 - SU	0	01/90 - Quarterly	GR - Grab	
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM		12 - SU	01/90 - Quarterly	GR - Grab
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						=	2.1	=	2.1	19 - mg/L		0	01/90 - Quarterly	GR - Grab	
					Permit Req.							Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	5.2	<	5.3	19 - mg/L		0	03/90 - Three Every Quarter	GR - Grab	
					Permit Req.							Req Mon MO AVG	<=	15.0 DAILY MX	19 - mg/L			01/90 - Quarterly	GR - Grab	
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Adirondack Environmental ELAP #10709. Two additional oil and grease samples were taken on 1/15/26 to verify a sheen from a personal vehicle did not make it to Outfall 006. The additional samples came back with non-detectable results.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE

User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov

Date/Time: 2026-02-13 12:37 (Time Zone: -05:00)

Report Last Signed By

User: MICHAEL.MADIGAN

Name: Michael Madigan

E-Mail: michael.madigan@unnpp.gov

Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit	
Permit #: NY0005851	Permittee: USDOE-NAVAL REACTORS LAB FIELD OFFICE
Major: No	Permittee Address: PO BOX 1069 SCHENECTADY, NY 123011069
Permitted Feature: SUM External Outfall	Discharge: SUM-M COPPER ION GENERATOR SUM TOTAL
Facility: USDOE KNOLLS ATOMIC POWER LAB	Facility Location: 2401 RIVER ROAD NISKAYUNA, NY 12309

Report Dates & Status	
Monitoring Period: From 01/01/26 to 01/31/26	DMR Due Date: 02/28/26
Status: NetDMR Validated	

Considerations for Form Completion

Principal Executive Officer	
First Name: Michael	Title: ESH Director
Last Name: Madigan	Telephone: 518-395-7470

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units		
01042	Copper, total [as Cu]	2 - Effluent Net	0	--	Sample															
					Permit Req.	<=	0.6 MO AVG	<=	1.1 DAILY MX										01/07 - Weekly	GR - Grab
					Value NODI		9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period											

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Copper injection system secured 11/11/25. Adirondack Environmental Services ELAP #10709.

Attachments
No attachments.

Report Last Saved By
USDOE-NAVAL REACTORS LAB FIELD OFFICE
User: KODI.GOWER
Name: Kodi Gower
E-Mail: kodi.gower@unnpp.gov
Date/Time: 2026-02-04 13:52 (Time Zone: -05:00)

Report Last Signed By
User: MICHAEL.MADIGAN
Name: Michael Madigan
E-Mail: michael.madigan@unnpp.gov
Date/Time: 2026-02-24 18:03 (Time Zone: -05:00)